


62

[1960]

He



The Tool Shed Herb Nursery

TURKEY HILL ROAD

(East end of Titicus Reservoir)

SALEM CENTER, NEW YORK

Helen M. Whitman

Tel. North Salem 9-5844

The plants listed below are all hardy perennials, unless otherwise noted.

Those marked with an * are not Herbs.

ACHILLEA. (Yarrow). Compositae.

ageratum (Sweet Yarrow), 12", fernlike fol. Fls. yellow, June.

filipendula (Fernleaf Yarrow), 2', Fls. yellow, large, flat, head, July

millefolium var. Cerise Queen, 18", fls. shades of pink, June.

ACORUS. Araceae.

calamus (Sweet Flag), 3', iris-like fol. Fls. brown cat-kin at base.

AGASTACHE. Labiatae.

foeniculum (Giant Hyssop), 3", fls. purple, large open spike. July.

ALCHEMILLA. Rosaceae.

major (Large Lady's Mantle), 9", fol. pleated, soft green when open.

Fls. yellow, June.

ALLIUM. Liliaceae.

cepa viviparum (Top Onion), 2', tubular fol. and stem. Stem topped with bunch of small onions.

cernum (Nodding Onion), 12", grasslike fol., fls. pale pink, nodding umbels, June.

coryi (Cory Onion), 9", fol. fine, tubular, fls. yellow, loose umbels, June.

montanum (Alps Onion), 9", fol. grasslike, fls. lavender umbels, June.

odorum (Fragrant Onion), 18", fls. upright, white umbels, August.

pulchellum, 12", fol. fine, tubular, fls. purple, loose umbel, July.

rosenbachianum (Rosenbach Onion), tubular fol., fls. maroon balls on 3' spike, July.

schoenoprasum (Chive), 12", fls. small lavender umbels, May.

stellerianum (Stellars Onion), 12", fls. pink lavender umbels, June.

tanguticum (Tangut Onion), 18", fls. large lavender umbels, July.

ALTHAEA. Malvaceae.

officinalis (Marshmallow), 4', fls. small, hollyhock-like pale pink, July.

*tauricensis, 6', fol. dark green, fls. small pale pink, on long stiff stems, Aug., Sept.

ALYSSUM. (Madwort), Cruciferae.

*argenteum (Yellow Tuft), 12", fol. silvery, fls. yellow, June.

ANCHUSA. (Alkanet). Boraginaceae.

barrelieri (Early Anchusa), 18", fls. dark blue, May.

italica var. Dropmore (Italian Bugloss), 5', fls. light blue, June.

ANEMONE. Ranunculaceae.

pulsatilla (Pasque Flower), 6", fls. pale lavender, April. Fol. silky.

ANGELICA. Umbelliferae.

archangelica (Angelica), 6', fol. palmate, large. Biennial. Fls. white, July.

ANTENNARIA. (Everlasting). Compositae.

*neodoica (Smaller Pussytoes), 2", fol. silvery, fls. white, May.

ANTHEMIS. Compositae.

cinera (Grey Camomile), 12", fol. grey, feathery. Fls. daisy-like, June.
nobilis (True Camomile), 4", fol. thread-like bright green. Fls. white,
May.

Sanct-johannis (St. John's Camomile), 2', fls. orange, daisy.

AQUILEGIA. (Columbine). Ranunculaceae.

*longissima, 2', long-spurred variety. Fls. yellow.

*Mrs. Scott Elliott, 2', long-spurred var. mixed colors.

*chrysantha Silver Queen, 2', long-spurred, silver white.

ARMERIA. (Thrift). Plumbaginaceae.

alpina (Alpine Thrift), 8", fol. basal rosette. Fls. pink balls, May.

formosa, 18", fol. basal rosette. Fls. white to dark rose, May.

maritima (Common Thrift), 12", fol. basal rosette. Fls. lilac, May.

ARTEMESIA. (Wormwood). Compositae.

abrotanum (Southerwood, Old Man), 3', woody stems. Fol. thread-like.

absinthium (Common Wormwood) 2', fol. feathery, silver-grey.

abula, Silver King, 3', fol. very feathery, silver-grey.

borealis (Northern Wormwood), 18", resembles Old Man, lower and
coarser.

camphorata (Camphor Wormwood), 2', fol. thread-like. Fls. spray,
creamy.

dracunculus (Tarragon), 18" fol. narrow dark green.

frigida (Fringed Wormwood), 12", fol. lacey, silver-grey.

frigida var. Silver Dome, 6", low silvery mounds of silky fol.

lactiflora (Ghostplant), 4', fol. fern-like. Fls. cream-white spikes.

Aug. to frost.

pontica (Roman Wormwood), 12", fol. much divided, grey.

purshiana (Pursh Sage Brush), 3' fol. silvery-grey almost white.

schmidtiana, 12", fol. silver, silky.

schmidtiana nana, 3", dwarf form. Creeping habit.

stelleriana (Old Woman), 12", stems procumbent. Fol. silver-white.

ASCLEPIAS. Asclepiadaceae.

tuberosa (Butterfly Weed), 2', fls. bright, red-orange, June.

ASPERULA. Rubiaceae.

hexaphylla (Misty Woodruff), 12", fol. misty, green. Fls. white, small,
May.

odorata (Sweet Woodruff), 6", fol. dark green. Fls. white, May.

ASPHODELINE. Liliaceae.

*lutea (Common Jacob's Rod), 4', fol. iris-like, in tuft. Fls. yellow.
spike. Aug.

BAPTISIA. Leguminosae.

tinctoria, (False Indigo), 4', fls. pea-like yellow on spike.

BETONICA. Labiatae.

grandiflora (Betony), 18", fls. lavender-pink on spike, June.

g. rosea (Pinn Betony), 12", fls. pink on spike, June-July.

g. robusta (Big Betony) 18" fls. purple spike, June-July.

BELAMCANDA. Iridaceae.

*chinensis (Blackberry Lily), 3', iris-like fol. Fls. orange. Fr. black.

BOCCONIA. Papaveraceae.

cordata (Plume Poppy), 6' fol. pale green, fls. plumes of silvery pink.
July.

BRITTONASTRUM Labiatae.

mexicanum, 2', fls. bright pink spikes.

CAMPANULA. Campanulaceae.

rapunculus (Rampion), 2', basal fol. bright green. Fls. blue, June. Bien.

CASSIA. Leguminosae.

marylandica (Senna), 6', shrub-like. Fls. yellow pendants, Aug.

CENTRANTHUS. Valerianaceae.

ruber (Jupiter's Beard), 18", fls. bright pink, July.

r. alba (White Jupiter's Beard), white variety of above.

CHENOPODIUM. Chenopodiaceae.

Bonus henricus (Good King Henry), 9", old salad herb, not too decorative.

CHRYSANTHEMUM. Compositae.

majus (Balsamita) (Costmary), 3', fol. bright green. Fls. yellow.

COPTIS. Ranunculaceae.

groelandica (Common Golden Thread), 3", creeping. Fls. yellow, April.
Plant disappears after flowering.

CUNILA. Labiatae.

mariana (Maryland Dittany), 12", a dainty plant. Fls. purple, July.

CYTISUS. Leguminosae.

scoparius var. Andreanus (Scotch Broom), 4', shrub, Fls. yellow,
marked brown, June. Price \$1.00 each.

supinus (Bigflower Broom), 3', shrub. Fls. yellow, June. Price \$1.00 ea.

CYMBALARIA. Scrophulariaceae.

*muralis (Kenneilworth Ivy), creeping. Fls. purple, May-June.

*pilosa (Shaggy Basket Ivy), creeping. Fol. small, wooly. Fls. purple,
June.

DIANTHUS. Caryophyllaceae.

allwoodi (Allwood Pink) low mats., gray fol. Fls. pink shades. May-June.

barbatus, Newport Pink (Sweet William), 9", bien. Fls. pink, May.

caesius (Cheddar Pink), grey-green mats. Fls. bright pink, May.

caryophyllus (Clove Pink), grey mats. Fls. carnation-like, pink, May.

fimbriatus (Fringed Pink), green mats. Fls. fringed, white, May-June.

fragrans (Fragrant Pink), grey-green mats. Fls. white, red line, June

Knappii, 12", fls. pale yellow.

plumarius (Grass Pink), low green mats. Fls. bright rose.

DIGITALIS. (Foxglove) Scrophulariaceae.

ambigua (Yellow Foxglove), 3', fls. cream yellow on spike.

lanata (Grecian Foxglove), 3', fls. creamy-white on spike.

mariana, 18", fls. creamy-pink, spotted brown on spike.

purpurea (Common Foxglove), 4' fls. larger than above, various colors

DIPSACUS. Dipsacaeae.

fullonum (Fullers Teasel), 4', coarse, prickly, stem, fol. Fls. cylindrical
lavender heads, Aug.

DORONICUM. Compositae.

**pardalianches* (Golden Leopard's Bane), 3', fls. yellow, May.

DRABA. Cruciferae.

**fladnizensis*, low mats. Fls. greenish-white, June.

**siberica* (*repena*) (Siberian Draba), low mats. Fls. yellow on 9" stems.
Early spring.

ECHINOPS. Compositae.

**ritro* (Small Globe Thistle), 3', coarse fol. Fls. lavender balls, Aug.

**sphaerocephelus* (Common Globe Thistle), 6' coarse fol., fls. pale
lavender balls, Aug.

ELSHOLTZIA. Labiatae.

stauntoni (Staunton's Elsholtzia), 5' shrub. Fls. lilac-purple, Sept.

ERODIUM. Geraniaceae.

**manescavi* (Pyrennes Heron's Bill), 9", fls. bright, rose-pink, May.

EUPHORBIA. Euphorbiaceae.

epithmoides, 12", red stems. Fls. yellow, May.

polychroma, 2', fls. yellow. May, June, July.

FRAGARIA. Rosaceae.

alpina (Alpine Strawberries), 6", small strawberry fol. Red fruit.

alpina alba, white variety, with small white fruit.

GALEGA. Leguminosae.

officinalis (Goat's Rue), 3', fls. purplish-blue, July.

GALIUM. Rubiaceae.

verum (Our Lady's Bedstraw), 18", sprawling habit. Fls. yellow, July.

GENISTA. Leguminosae.

germanica (German Woadwaxen), 12", low shrub. Fls. yellow. June.

GERANIUM. Geraniaceae.

endressi, 12", fls. pink, June.

grandiflorum (Lilac Geranium), 2', fls. lavender, June.

g. album, white variety of above.

sanguineum (Blood Red Geranium), 12", fls. bright magenta, June.

s. album, 9", fls. white, June.

s. lancastriense, 9", fls. salmon pink.

s. nanum, 3", fls. bright magenta.

GEUM. Rosaceae.

**montanum*, 12", fol. wooly. Fls. yellow, May.

GLAUCIUM. Papaveraceae.

**flavum* (Yellow Hornpoppy), 18" silver basal fol. Fls. yellow, July-Aug.

GLOBULARIA. Globulariaceae.

**cordifolia* (Heartleaf Globe Daisy), low mats. Fls. lilac balls, on 6"
stems, May.

HELIANTHEMUM. Cistaceae.

**apenninum* (Sunrose), 12", sub-shrub. Fls. vary from pale pink to
white. May.

**Wendel Rose*, 12", greyish fol., fls. pale pink, May.

HESPERIS. Cruciferae.

- matronalis (Dames Rocket), 3', fls. mauve to white.
- niveus (Persian Snow Rocket), 12", spikes of white fls.

HIBISCUS. Malvaceae.

- *Hardy variety, 5' high Large fls. pinks, red, white. Price \$1.00 each.

HYPERICUM. Hypericaceae.

- calycinum (Aaronsbeard), 12", fol. fol. blue-green. Fls. yellow, May.
- olympicum (Olympic St. John's Wort), 12", fol. blue-green. Fls. yellow, May.
- rhodopeum (Rhodopes St. John's Wort) prostrate. Fls. small, yellow, June.

HYSSOPUS. Labiatae.

- officinalis (Hyssop), 18", sub-shrub. Fls. blue, sometimes, white or pink, June.

IRIS. Iridaceae.

- *cristata alba, 9", fls. white, May.
- *cristata, 9", fls. purple, May.
- florentina (Orris Root), 2', fls. pale blue, almost white, June.
- *pumila excelsea, 9", fls. yellow, May.

ISATIS. Cruciferae.

- glauca (Woad), 3', fls. large terminal panicles, yellow. Early May.

LAMIUM. Labiatae.

- galeobdolon (Yellow Archangel), 9", trailing habit. Fls. yellow, June.
- maculatum (Spotted Dead Nettle), 6", trailing. Fls. pink, fol. blotched white.
- maculatum album, white variety of above.

LAVANDULA. Labiatae.

- vera (True Lavender), 18", fol. grey. Fls. lavender spikes, June.
- v. alba, white form of above.
- v. rosea, pink form of above.
- v. nana, 9", dwarf form.
- spica, (Spike Lavender) longer fol. than vera.
- s. Dutch, larger grower than above.
- s. Waltham Giant, 2½', vigorous grower.
- s. Hidecote, 9", resembles vera, with smaller fol.

LAVATERIA. Malvaceae.

- cachmirana (Tree Mallow), 5' shrub-like. Fls. 3" across red to white, July-Aug.

LEVISTICUM. Umbelliferae.

- officinale (Lovage), 6', resembles celery. Fls. white panicles, June.

LIMONIUM. Plumbaginaceae.

- latifolium (Wide Leaf Sea-lavender), 1', fls. lavender, feathery panicle, July.

LINUM. Linaceae.

- flavum (Golden Flax), 12", fls. yellow, June.
- narbonense (Narbonne Flax), 2', fol. feathery. Fls. blue, May-June.
- perenne (Blue Flax), 18", feathery fol. Fls. blue, May-June.

LOBELIA Lobellaceae.

siphilitica (Blue Lobelia), 18", spikes of blue fls., Aug.-Sept.

LOTUS. Leguminosae.

*corniculatus (Birdsfoot Trefoil), trailing. Fls. yellow. tinged red.
May-June.

*pinnatus (Meadow Trefoil), trailing. Fls. yellow, May-June.

LUNARIA. Cruciferae.

rediviva (Honesty), 18", fls. purple, May. Pods, flat, papery, silver.

LYCHNIS. Caryophyllaceae.

chalconica (Maltese Cross) 2', fls. scarlet, May.

c. salmonea, 18", pink variety of above.

coronaria (Rose Campion), 18", fol. grey. Fls. burgundy on spike, June
viscaria splendens (German Catchfly), 18", fls. bright pink, May.

LYSMACHIA. Primulaceae.

vulgaris (Golden Loosestrife), 3', fls. yellow, along stem, June.

LYTHRUM. Lythraceae.

salicaria (Purple Lythrum), 3', fls. magenta spike, July.

MALVA. Malvaceae.

moschata (Musk Mallow), 2', fls. lavender-pink, June-July.

MAJORANA. Labiatae.

onites (French Marjorum), 18" fls. lavender to purple, June-Sept.

MARRUBIUM. Labiatae.

vulgare (Horehound), 12", grey-green, wooly fol. Fls. white, May.

MATRICARIA. Compositae.

capensis (Feverfew), 18", mass of white daisy-like fls., May-July.

MAZUS. Scrophulariaceae.

*reptans, 2", creeping. Small, lavender fls., June.

MELISSA. Labiatae.

officinalis (Lemon Balm) 2½', shiny, dark green fol.

MENTHA. Labiatae.

anisata (Anise Mint), 12", dark green fol. red underside.

citrata (Bergamot Mint), 12", shiny dark green fol.

crispa (Curly Mint), 12" fol. light green curly.

piperita (Peppermint), 18", fol. green, red stems.

p. citrata (Orange Mint), 6", fol. grey-green, wooly.

rotundifolia (Apple Mint), 3', large, round, wooly, grey-green, fol.

r. variegata (Pineapple Mint), 12", green marked white fol.

spicata (Spearmint), 2', narrow light green, fol.

MICROMERIA. Labiatae.

juliana, 6", fol. grey-green, wooly. Fls. pink, June.

rupestris, 9", small, dark green fol., white fls., June.

MONARDA. Labiatae.

didyma (Beebalm), 3', fls. bright red, July-Aug.

d. Salmon Glory, 4', fls. salmon pink, July-Aug.

d. Red and White, 3', fls. red and white, July-Aug.

fistulosa, 2', fls. lavender, July.

f. hybrids, 2'-3', fls. shades of pink, purple, white, July-Aug.

NEPETA. Labiatae.

- cataria (Catnip), 3' greyish fol. Fls. lavender, June.
- grandiflora, 3', makes large clumps. Fls. lavender, June-Aug.
- macrantha (English Nept), 2', grey fol. Fls. lavender, July-Aug.
- mussini (Persian Nept), 9", grey fol. Fls. lavender, June.
- Six Hill Giants, 12", fls. lavender. Fol. varies in size and shape.
- Souvenir Andre Chaudron, 12", fls. purple, June.

ORIGANUM. Labiatae.

- vulgare (Wild Marjorum), 18", fls. purple to pink, June to frost.
- v. oregano, a well flavored variety. Not reliably hardy.

PATRINIA. Valerianaceae.

- *scabiosaefolia (Golden Valerian), 4', fern-like fol. Fls. loose panicles of tiny yellow fls, Sept.

POTENTILLA. Rosaceae.

- *argentea, 6", cut, silvery fol. Fls. yellow, June.
- *argryophylla, 9", grey, wooly green, fol. Fls. white, summer.
- *tridentata (Wineleaf Cinquefoil), 4", fol. dark green much divided. Fls. white, July.
- *verna-nana (Spring Cinquefoil), 3", silver-grey fol. Fls. yellow, May.
- *villosa, 12", fol. coarsely toothed. Fls. yellow, June.

PRIMULA. Primulaceae.

- vera (Primrose), 9", various colors of these early spring flowers.

PRUNELLA. Labiatae.

- grandiflora (Bigflower Selfheal), creeping. Fls. low, purple, spikes. May

PULMONARIA. Boraginaceae.

- officinalis (Lungwort), 6", fol. spotted white. Fls. blue, Apr.-May.

RUMEX. Polygonaceae.

- scutatus (French Sorrel), 9", bright green leaves.

RUTA. Rutaceae.

- graveolens (Rue), 18", shrubby. Fol. blue-green, Fls. yellow, June.

SALVIA. (Sage). Labiatae.

- jurisii, 9", fol. much divided. Fls. purple, May-June.
- nemorosa, 12", fls. violet, June-Aug.
- officinalis (Garden Sage), 18" shrub, grey-green fol. Fls. purple. July-Aug.
- o. lavandifolia, 12", smaller variety of above.
- o. purpurascens (Black Sage), 2½', purple cast at base of leaf. Not reliably hardy.
- o. tricolor (Varigated Sage), 12", fol. varigated, pink and white. Not reliably hardy.
- pitcheri (Pitcher's Sage), 4', tall feathery spikes of light blue, fls., Sept.
- pratensis (Meadow Sage), 12", many spikes of purple fls., May.
- p. rosea, pink variety of above.
- Regeliana, 3', fls. lavender-purple in loose spikes, June.
- sclarea, (Clary), 3', coarse hairy, basal fol. Fls. lilac and pink, June.
- verticillata (Lilac Sage), 18", wooly fol. Fls. pale lavender, July.

SANGUISORBA. Rosaceae .

- canadensis (American Burnet), 18", fol. Fls. white spike, July.
- minor (Salad Burnet), 12", bright green, divided fol.

SANTOLINA. Compositae.

- chamaecyparissus (Lavender Cotton), 12", fol. silver grey. Fls. yellow buttons, July.
- c. incana, 12", fol. tighter than above and greyer.
- neopolitana (Naples Lavender Cotton), 12", green fol.
- pinnata, 12", grey-green fol.
- tomentosa, 12", grey fol.
- virens, (Green Lavender Cotton), 12", bright green fol.

SATUREIA. Labiatae.

- alpina (Alpine Savory), 4', fls. purple, June.
- montana (Winter Savory), 9", shrubby. Fls. small, white, June.
- m. pygmaea (Dwarf Winter Savory), 4", dwarf variety of above.
- m. subspicata, trailing variety. Fls. purple, July.

SEDUM. Crassulaceae.

- *gracile, 2", procumbent. Fol. blue-green dotted red. Fls. white, June.
- *reflexus, 12", mats. Fls. yellow, June.
- *middendorffianum, 9", fol. stems, reddish. Fls. creamy, July.
- *spectabilis, 18", fol. grey-green. Fls. lavender-pink, Aug.-Sept.

SILENE. Caryophyllaceae.

- *maritima (Sea Campion), 4", creeping. Fol. greyish. Fls. white, May.

SIUM. Umbelliferae.

- Sisarum (Skirret), 5', fern-like fol. Fls. loose, white panicles, Aug.

STACHYS. Labiatae.

- lanata (Lamb Tongue), 12", wooly grey fol. Fls. lavender-pink spikes, May.

SYMPHYTUM. Boraginaceae.

- officinale (Comfrey), 5', coarse hairy fol. Fls. small, blue turning pink, May.

TANACETUM. Compositae.

- vulgaris (Tansy), 4', fern-like fol. Fls. yellow, Aug.
- v. crispum, 3', curly leaved variety of above.

TEUCRIUM. Labiatae.

- chamaedrys (Germander), 9", dark green fol. Fls. magenta.
- c. prostratum (Dwarf Germander), 6", lower growing form.

THERMOPSIS. Leguminosae.

- *caroliniana (Carolina Thermopsis), 5', yellow pea-like fls., May.

THYMUS. Labiatae.

- azoricus, 3", bright green mounds.
- Herba barona, (Caraway Thyme), creeping. Fls. pink, May.
- nitidus (Sicilian Thyme), 12", sub-shrub. Greyish-green fol.
- odoratus, 9", shrubby. Fol. green, Fls. white, May.
- serpyllum (Mother of Thyme), 2", creeping. Pink fls., May.
- s. aureus (Golden Lemon Thyme), 9", variegated yellow on dark green leaves.
- s. carneus, 1", creeping. Pale pink fls., May.
- s. Chappinsfield, 3" creeping. Magenta fls., June.
- s. conglomerata, 3", creeping. Dark pink fls., May.
- s. languinosus (Wooly Thyme), 4", creeping. Grey fol. Fls. pink, May.

- s. villosus (Downy Thyme), 3", creeping. Green, downy fol. Fls. pale pink, May.
- vulgaris (Common Thyme), 6", shrubby. Fol. greyish-green.
- vulgaris, Broad-leaf variety. 6", shiny, dark green fol.
- v. argenteus (Silver Thyme), 6", shrubby, silver on green fol.
- v. aureus (Golden Thyme), 6", shrubby, green marked gold fol.

TUNICA. Caryophyllaceae.

- saxifraga, 6", tufted plant. Fls. pink, July to frost.
- s. alba, 6", white variety of above.

VALERIANA. Valerianaceae.

- officinalis (Garden Heliotrope), 6'. fern-like fol. Fls. loose white panicles, June.

VERBASCUM. Scrophulariaceae.

- olympticum (Olympic Mullein), 6', wooly basal fol. 6" long. Fls. yellow spike, Aug.
- phoeniceum (Purple Mullein), 2' biennial. Fls. spikes in various shades of purple to pink, May.
- thapsi (Flannel Mullein), 4', coarse basal fol. Fls. yellow spikes July-Aug.

VERONICA. Scrophulariaceae.

- catarractae, 9", dark green fol. Fls. white, June.
- incana (Wooly Speedwell), 12", grey fol. Fls. spikes, lavender-blue. June.
- latifolia, True Blue, 18", bright blue fls., June.
- pectinata, 3", creeping. Fls. light blue, June-July.
- rupestris alba, 3", creeping. Fls. white spikes.
- r. rosea, 3", creeping. Fls. pink spikes.
- repens (Creeping Speedwell), 2" mats. Fls. light blue, Apr.-May.

VIOLA. Violaceae.

- odorata (Sweet Violet), 4", fls. purple, Apr. on.

Herbs not hardy in Northern Westchester. (Zone 3)

ACANTHUS. Acanthaceae.

mollis (Soft Acanthus), 2', large, shiny, dark green fol. Fls. spike,
rose-lilac. \$1.00 each.

DIOSMA. Rutaceae.

ericoides (Breath of Heaven), 2', shrubby. Fol. needle-like. Fls. White
75c each.

LAVANDULA. Labiatae.

canariensis, 12", fol. grey, lacey, wooly. Fls. lavender. 75c each.
dentata, 2', fol. grey-green, toothed. Fls. purple.
serrata, 2', fol. grey, slightly dentated, fls. lavender.
stoechas, 2', fol. grey, fls. dark purple.

LIPPIA. Verbenaceae.

citriodora (Lemon Verbena), 3' pale green aromatic fol.

PELARGONIUM. Geraniaceae.

crispum (Lemon Geranium), 12", small round fol., fls. pale pink.
graveolens (Rose Geranium), 2', fol. deeply lobed. Fls. rose.
odoratissimum (Apple Geranium), 12", drooping habit. Fls. white.

ROSMARINUS. Labiatae.

officinalis (Rosemary), 3', needlelike fol. Fls. blue.

SALVIA. Labiatae.

dorii, 4', large bright green leaves. Fls. spike bright pink.
Greggi, 2', small round fol. Fls. bright red. 75c.
leucantha, 4' fls. white, with lavender tomentose calyx. 75c each.
rutilans (Pineapple Sage), 4', shrubby. Fls. bright red.
triloba, 3', fol. grey, fls. pale lavender pink.

TEUCRIUM. Labiatae.

fuicicans, fol. silver-grey. Fls. blue.

PRICE OF PLANTS — 50c each unless otherwise noted.

Salem Center is in Northern Westchester, 57 miles from New York City. From the end of the Saw Mill River Parkway, take 22 to Purdy's, turn right on 116. Turkey Hill Road, is the first right at the end of the Titicus Reservoir. Visitors are welcome from 9:00 A. M. til 5:00 P. M.

Shipping: We will ship orders of \$3.00 or more. F.O.B. Salem Center.
Packing charge, 10% extra.

SUGGESTIONS AS TO WHERE HERBS CAN BE USED IN THE GARDEN



Edgings or Borders:

Dianthus, allwoodi, barbatus, caryophyllus.
Nepeta mussini.
Pulmonaria officinalis.
Stachys lanata
Thymus, nitidus, vulgaris.
Tunica saxifraga, alba.

For low Hedges:

Artemesia, borealis, camphorata, pontica.
Lavandula, in variety.
Ruta graveolens.
Hyssopus officinalis.
Salvia officinalis, lavandifolia.
Santolina, in variety.
Teucrium chamaedrys.

For Groundcovers:

Artemesia stelleriana.
Asperula odorata.
Coptis groelandica.
Fragara alpina, a, alba.
Lamium galeobdolon, maculatum, m. album.
Mentha p. citrata.
Viola odorata.

For Rock Gardens:

Alchemilla major.
Armeria, in variety.
Artemesia, Silver Dome, stelleriana.
Galium verum.
Geranium s. lancastriense, album.
Micromeria juliana.
Nepeta, mussini, Six Hill Giants.
Prunella grandiflora.
Salvia jurisii.
Satureia alpina.
Stachys lanata.
Thymus, serpyllum in variety,
Thymus, vulgaris argenteus, aureus.
Veronica, catarractae, incana,
Veronica, pectinata, rupestris, r. rosea.

For among Brick or Stone Paths and Terraces:

Anthemis nobilis.
Mazus reptans.
Thymus sepyllum in variety.
Veronica repens.

For accents in the Perennial Border:

Artemesia, absinthium, abula Silver
King, lactiflora, purshiana.
Euphorbia, epithmoides, polychroma.
Nepeta, grandiflora, macrantha.
Salvia sclarea.
Verbascum olympicum.

Shade Tolerant Plants. (Light shade)

Angelica archangelica—prefers light shade.
Anthemis nobilis.
Asperula odorata—prefers light shade.
Cassia marylandica.
Coptis groelandica—prefers light shade.
Cymbalaria muralis, pilosa.
Dianthus barbatus.
Digitalis ambigua, purpurea.
Isatis glauca.
Lamium galeobdolon—prefers light shade.
Lobelia siphillitica.
Lunaria rediviva.
Lychnis chalcedonica.
Melissa officinalis.
Mentha in variety.
Nepeta cataria.
Primula vera—prefers light shade.
Pulmonaria officinalis.
Valeriana officinalis.
Viola odorata.

MENT OF
LIBRARY
WASHINGTON

OFFICIAL BUREAU

MENT OF AGRICULTURE
WASHINGTON

U. S. DEPT. OF AGRICULTURE
LIBRARY - DIVISION OF BIBLIOGRAPHY
WASHINGTON 25, D. C.